



From **Giorgio Cangini's** experience,
a new **Premium** line for Earthmoving.

CANGEO[®]
Advanced Attachment System



THE ONLY MULTIFUNCTIONAL SOLUTION FOR COMPACTION AND DRIVING POSTS AND SHEET PILES.

Plury®

VIBRATION POWER



Available for all operating
machine tonnage range



PLURY + GRAPPLE
VIBRATION DRIVE UNIT WITH
PILE-DRIVING CLAMP FOR EXCAVATORS



**PLURY + TOK QUICK COUPLER
+ GRAPPLE**
VIBRATORY DRIVE UNIT WITH QUICK COUPLING
AND PILE-DRIVING CLAMP FOR EXCAVATORS



**PLURY + FRONT-MOUNTED
ATTACHMENT + GRAPPLE**
VIBRATORY DRIVE UNIT WITH PILE-DRIVING CLAMP
FOR SKID LOADERS AND WHEEL LOADERS

W1 14

1.2 - 2.0 TONS
Centr. Force 14 kN
Weight 73 Kg

W2 62

6.0 - 11.0 TONS
Centr. Force 62 kN
Weight 300 Kg

W1 25

2.0 - 4.5 TONS
Centr. Force 25 kN
Weight 100 Kg

W2 92

12.0 - 18.0 TONS
Centr. Force 92 kN
Weight 455 Kg

W1 45

4.5 - 7.0 TONS
Centr. Force 45 kN
Weight 135 Kg

W2 125

16.0 - 22.0 TONS
Centr. Force 125 kN
Weight 620 Kg

W1 60

6.0 - 12.0 TONS
Centr. Force 60 kN
Weight 300 Kg

W2 185

20.0 - 30.0 TONS
Centr. Force 185 kN
Weight 880 Kg

W1 90

12.0 - 20.0 TONS
Centr. Force 90 kN
Weight 430 kg

W2 220

25.0 - 40.0 TONS
Centr. Force 220 kN
Weight 885 Kg

*The weight indicated refers to the drive unit without attachment. For the specific weight of each attachment, please refer to the catalogue.

CANGED

by Malaguti



PLURY + PLATE 1P
SINGLE - FOLD COMPACTION
PLATE



PLURY + PLATE 2P
DUAL - FOLD COMPACTION
PLATE



PLURY + BELL
POLE CENTRING COLLAR



PLURY + SHEET PILE CLAMP
SHEET PILE CLAMP



PLURY + H-BEAM CLAMP
H-BEAM CLAMP



PLURY + ASPHALT CUTTER
ASPHALT CUTTER



PLURY + STORM
WHEEL COMPACTOR



PLURY + T-PLATE
NARROW COMPACTION PLATE



PLURY + ONE WHEEL TOOTHED
TOOTHED WHEEL



PLURY + ONE WHEEL SMOOTH
SMOOTH WHEEL



PLURY + T-DRILLING
PRE-DRILL BIT

PLURY QUICK COUPLER.



Quick coupler for fast connection and disconnection of the attachment from the vibratory drive unit.



TOK QUICK COUPLER
Available for all tonnage range.



TOK ADAPTER
Welded on the attachment.

THE **DOUBLE PLATE** IS YOUR ALLY FOR **EFFECTIVE, UNIFORM** **COMPACTION.**

MultyPlate

VIBRATORY PLATE COMPACTOR



For precise operation along road edges and continuous work on slopes and irregular profiles.



MULTYPLATE WITH TRANSLATION

2MPT 160

Working width 1600 mm
Centr. Force 70 kN x 2
Weight 1060 Kg

2MPT 180

Working width 1800 mm
Centr. Force 70 kN x 2
Weight 1085 Kg

2MPT 200

Working width 2000 mm
Centr. Force 70 kN x 2
Weight 1110 Kg



MULTYPLATE FIXED

2MPF 160

Working width 1600mm
Centr. Force 70 kN x 2
Weight 920 Kg

2MPF 180

Working width 1800mm
Centr. Force 70 kN x 2
Weight 950 Kg

2MPF 200

Working width 2000mm
Centr. Force 70 kN x 2
Weight 980 Kg

THE **VIBRATORY ROLLER** THAT EXCEEDS EVERY EXPECTATION **ON SITE.**

Roller

VIBRATORY ROLLER COMPACTOR



 *For fast and effective compaction.*



ROLLER VRM SMOOTH DRUM

High-performance vibratory roller used to compact materials such as asphalt, soil, gravel and crushed stone, forming the base layer of the road surface.

ROLLER SMOOTH DRUM

VRM 120

Working width 1200 mm
Centrifugal Force 12 kN
Weight 420 Kg

VRM 140

Working width 1400 mm
Centrifugal Force 15 kN
Weight 460 Kg

VRM 160

Working width 1600 mm
Centrifugal Force 18 kN
Weight 750 Kg

VRM 180

Working width 1800mm
Centrifugal Force 18 kN
Weight 810 Kg

VRM 200

Working width 2000mm
Centrifugal Force 24 kN
Weight 880 Kg



ROLLER VRM MF PADFOOT DRUM

High-performance vibratory roller particularly suitable for compacting backfill soils and building unpaved roads.

ROLLER PADFOOT DRUM

VRM MF 160

Working width 1600mm
Centrifugal Force 18 kN
Weight 870 Kg

VRM MF 180

Working width 1800mm
Centrifugal Force 18 kN
Weight 950 Kg

VRM MF 200

Working width 2000mm
Centrifugal Force 24 kN
Weight 1035 Kg

CANGEO
by Malaguti

THE INNOVATIVE **MULCHER** THAT MEETS YOUR **PROFESSIONAL** **NEEDS.**

TOORX

MULCHER



■ Ideal for green maintenance, land clearing and forestry work.



TOORX F 140 HD

Working width 1400 mm

Weight 575 Kg

FORESTRY DISC

The double disc with high-strength, wear-resistant steel cutting edges is designed to handle shrubs and woody vegetation up to 15 cm in diameter.



TOORX F 140

Working width 1400 mm

Weight 420 Kg

GRASS DISC

The double disc with forged steel cutting edges is designed for efficient cutting of grass, brambles, scrub and small shrubs up to 4 cm in diameter.

CANGEO

by Malaguti

THE PROFESSIONAL **STUMP GRINDER** FOR YOUR INTENSIVE **WORK.**



Completely removes the stump, leaving the area immediately ready for restoration.



STUMP GRINDER FOR ESCAVATOR

TORNADO 350

Motor from 12 to 32 cc
Without coupling weight 1.16 Kg

TORNADO 450

Motor from 25 to 63 cc
Without coupling weight 1.70 Kg

TORNADO 600

Motor from 45 to 80 cc
Without coupling weight 2.78 Kg



SWINGING FRONTAL ATTACHMENT



SWINGING FRONTAL ATTACHMENT for mini skid loader



TRANSVERSE FRONTAL ATTACHMENT

YOUR ALLY FOR
**LIFTING HEAVY
LOADS.**

AL-Condor

SLAB LIFTER



 *Ideal for use on any work site.*



AL-CONDOR 200

By changing the suction pad,
it can lift from 100 kg to 1.000 kg

AL-CONDOR 200

It is extremely suitable for lifting and handling stones, tiles and kerbs.
The large 50 m³ vacuum pump ensures the ability to lift most loads.

CANGEO
by Malaguti

THE **PROFESSIONAL** SOLUTION FOR EVERY **DRILLING** APPLICATION.



A multifunction auger designed to deliver maximum operating versatility.
Different auger bits and extensions are available, from ground drilling to crushing roots and tree stumps.



**VORTEX
MULTIFUNCTION AUGER**
Available for excavators, skid loaders
and wheel loaders.

V1

1.0 - 1.8 TONS
Power 1.200 N/m

V2

1.8 - 2.2 TONS
Power 1.600 N/m

V3

2.0 - 3.0 TONS
Power 2.500 N/m

V4

3.0 - 4.5 TONS
Power 3.500 N/m

V5

4.0 - 6.0 TONS
Power 4.500 N/m

V6

6.0 - 7.5 TONS
Power 6.200 N/m

V7

7.0 - 10.0 TONS
Power 8.000 N/m

V8

10.0 - 15.0 TONS
Power 10.000 N/m

V9

15.0 - 20.0 TONS
Power 15.000 N/m

THE POWER THAT DRIVES EVERY **SHEET PILE** INTO PLACE.



SheetPile Fix allows sheet piles to be installed and extracted by vibration. Ideal for retaining works, foundations and infrastructure projects.



SHEETPILE FIX STRONG FIXED

W2 K4 STRONG
Weight 1460 Kg

W2 K6 STRONG
Weight 1480 Kg



SHEETPILE FIX TILT WITH OSCILLATION

W2 K4 STRONG
Weight 1660 Kg

W2 K6 STRONG
Weight 1680 Kg

CANGEO
by Malaguti

**Scan the QR code
to discover
the new premium line.**



www.cangeogroup.com

Sales department

+39 0547 1932186
commerciale2@malagutisrl.com

Piazza Plauto, 40 - 47027 Sarsina (FC) Italy

www.malagutisrl.com